

Honeywell CT45 / CT45XP Mobile Computers

Accessories Guide

Contact **mobit** for more info:

- > DE/EN/IT: +41 (0)44 800 16 30, CH-8306 Brüttisellen
- > FR: +41 (0)21 651 98 98, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch









mobile computing

labeling & identification





CT45 / CT45 XP PROTECTIVE BOOT

Dockable Protective Bootwithout Protective Boot

Use when protective boot is required with or without scan handle and dockable, compatible with handstrap installed.



mobile computing

labeling & identification



CT45 / CT45 XP SCANNING

Option 2 - Scan Handle with Protective Boot

Use for Scan intensive applications with additional protection of the protective boot.

This scan handle is ONLY compatible with Booted charging docks.







Rear View

DART NUMBER	DESCRIPTION

CT45-SH-UVB

CT45 and CT45 XP universal scan handle to be used with CT45/XP with Protective Boot (order CT45-PB-1 separately)
Compatible for use with Protective Boot Home Base and Charge Base without removal.

CT40-HB-UVB-0 Protective Boot Home Base

CT40-HB-UVB-0 Protective Boot Home Base
CT40-EB-UVB-0 Protective Boot Ethernet Home Base
CT40-DB-UVB-0 Protective Boot Display Base

CT40-CB-PB-0 Protective Boot Quad Charge Base CT40-CB-UVB-0 Protective Boot Quad Charge Base CT40-NB-PB-0 Protective Boot Quad Net Base



CT45 / CT45 XP SCANNING

Option 1 - Scan Handle without Protective Boot

Use for Scan intensive applications, also compatible with using Rear Camera with Scan Handle installed.

This scan handle is ONLY compatible with Non-Booted charging docks.



CT45-SH-UVN

CT45 and CT45 XP universal scan handle to be used with CT45/XP without protective boot

Compatible for use with Home Base and Charge Base without removal.

CT40-HB-0 / CT40-HB-UVN-0 Home Base (

CT40-EB-0 / CT40-EB-UVN-0 Ethernet Home Base CT40-DB-0 / CT40-DB-UVN-0 Display Base CT40-CB-CNV-0 / CT40-CB-UVN-0 CT40-NB-CNV-0 / CT40-NB-UVN-0 Quad Charge Base Quad Net Base



CT45 / CT45 XP DESKTOP COMMUNICATIONS

Option 1 - Portable - Non-Booted or Booted



	PART NUMBER	DESCRIPTION
1	CT45-SN-CNV	CT45 and CT45XP Booted and Non-Booted Snap On adaptor. Provides tethered USB client connectivity. Compatible with hand strap, battery pack, and scan handle. Charges mobile computer battery in four hours or less. Kit includes snap-on adapter with convertible adaptor (CT45-SN-IST).
2	50136024-001	KIT,5V/2A PS,5 PLUGS PACKED, ROW Includes US,UK,AU,EU,IN adapters

Option 2 - Fixed with Universal Cup

USB and optional Ethernet Communication & Single Battery Charger.





CT45 XP COMMUNICATIONS

Option 3 - CT45 XP USB Type C On-The-Go (OTG) Desktop

USB C Communication to PC/ Mac OR Charging.



	PART NUMBER	DESCRIPTION	
1	CBL-500-120-S00-05	USB type A to type C,12 m (3.9 ft)	
2	50136024-001	KIT.5V/2A PS.5 PLUGS PACKED, ROW Includes USUK AU.EU.IN adapters	

Option 4 - CT45 XP USB Type C On-The-Go (OTG) Vehicle

USB C Communication to Vehicle OR Charging.



	PARTNUMBER	DESCRIPTION
1A	CBL-500-120-S00-05	USB type A to type C, 1.2 m (3.9 ft)
1B	CT45-SN-CNV	CT45 and CT45XP Booted and Non-Booted Snap On adaptor. Provides tethered USB client connectivity. Compatible with hand strap, battery pack, and scan handle. Charges mobile computer battery in four hours or less. Kit includes snap-on adapter with convertible adaptor (CT45-SN-IST).
2	CT45-CIGR-1	Charging CT45, CT45XP, CT40 and CT40XP configurations on vehicle. Quick Charge 3.0 compliant. Requires CT45 USB adapter (CT45-SN-CNV) or USB cable (CBL-500-120-S00-05) to be ordered separately. (Converts 12 V/24 V cigarette lighter port to USB type-A power adapter for snap-on use in a vehicle)



CT45 / CT45 XP DESKTOP COMMUNICATIONS

Option 5 - Display Base with Universal Cup

Connect USB peripherals (keyboard, mouse) and External Monitor via HDMI.



		PART NUMBER	DESCRIPTION
1	IA	CT40-DB-UVN-0	Non-Booted Display Dock - Kit includes (CT40-UCP-N), Display Base & Power Supply, No Power Cord
1	B	CT40-DB-UVB-0	Booted Display Dock - Kit includes (CT40-UCP-B), Display Base & Power Supply, No Power Cord
-	2	**	AC Power Cord - See Page 45 for Country Specific Power Cords



CT45 / CT45 XP DESKTOP COMMUNICATIONS

Option 1 - Portable - Non-Booted or Booted



		PART NUMBER	DESCRIPTION
.1	1	CT45-SN-CNV	CT45 and CT45XP Booted and Non-Booted Snap On adaptor. Provides tethered USB client connectivity. Compatible with hand strap, battery pack, and scan handle. Charges mobile computer battery in four hours or less. Kit includes snap-on adapter with convertible adaptor (CT45-SN-IST).
	2	50136024-001	KIT,5V/2A PS,5 PLUGS PACKED, ROW Includes US,UK,AU,EU,IN adapters

Option 2 - Fixed with Universal Cup

USB and optional Ethernet Communication & Single Battery Charger.





CT45 XP COMMUNICATIONS

Option 3 - CT45 XP USB Type C On-The-Go (OTG) Desktop

USB C Communication to PC/ Mac OR Charging.

WiFi Model Connectors WWAN Model Connectors

	PART NUMBER	DESCRIPTION	
1	CBL-500-120-S00-05	USB type A to type C,12 m (3.9 ft)	
2	50136024-001	KIT.5V/2A PS.5 PLUGS PACKED, ROW Includes US,UK,AU,EU,IN adapters	

Option 4 - CT45 XP USB Type C On-The-Go (OTG) Vehicle

USB C Communication to Vehicle OR Charging.



18 CT45-SN-CNV CT45 and CT45XP, Booted and Non-Booted Snap On adaptor, Provides tethered USB client connectivity. Compatible with hand strap, battery pack, and scan handle. Charges mobile computer battery in four hours or less. Kit includes snap-on adapter with convertible adaptor (CT45-SN-IST). Charging CT45, CT45XP, CT40 and CT40XP configurations on vehicle. Quick Charge 3.0 compiliant. Requires CT45 USB adapter (CT45-SN-CNV) or USB cable (CBL-500-120-500-05) to be ordered separately. (Converts 12 V/24 V cigarette lighter port to USB type-A power adapter for snap-on use in a vehicle)			
connectivity. Compatible with hand strap, battery pack, and scan handle. Charges mobile computer battery in four hours or less. Kit includes snap-on adapter with convertible adaptor (CT45-SN-IST). Charging CT45, CT45XP, CT40 and CT40XP configurations on vehicle. Quick Charge 3.0 compliant. Requires CT45 USB adapter (CT45-SN-CNV) or USB cable (CBL-500-120-500-05) to be ordered separately.	1A	CBL-500-120-S00-05	USB type A to type C, 1.2 m (3.9 ft)
2 CT45-CIGR-1 Requires CT45 USB adapter (CT45-SN-CNV) or USB cable (CBL-500-120-S00-05) to be ordered separately.	18	CT45-SN-CNV	connectivity. Compatible with hand strap, battery pack, and scan handle. Charges mobile computer
	2	CT45-CIGR-1	Requires CT45 USB adapter (CT45-SN-CNV) or USB cable (CBL-500-120-500-05) to be ordered separately.



CT45 / CT45 XP DESKTOP COMMUNICATIONS

Option 5 - Display Base with Universal Cup





	PART NUMBER	DESCRIPTION
1A	CT40-DB-UVN-0	Non-Booted Display Dock - Kit includes (CT40-UCP-N), Display Base & Power Supply, No Power Cord
1B	CT40-DB-UVB-0	Booted Display Dock - Kit includes (CT40-UCP-B), Display Base & Power Supply, No Power Cord



CT45 / CT45 XP CHARGING AND COMMUNICATION

Option 1 - Non-Booted Quad Charger with Universal Cup

Chargebase - Quad Dock Charge Only

Netbase - Quad Dock with Ethernet

Not Compatible with CT40-RB-00 Rubber Boot, CT40-PB-00 / CT40-PB-XP / CT45-PB-1 Protective Boot

Option 2 - Booted Quad Charger with Universal Cup

Chargebase - Quad Dock Charge Only

Netbase - Quad Dock with Ethernet

Compatible with CT40-PB-00 / CT40-PB-XP / CT45-PB-1 Protective Boot



	D-UCP-N T45 Cup for Non-B	noted
	PART NUMBER	DESCRIPTION
1	CT40-CB-UVN-0	Non-Booted Chargebase - Kit includes Dock and Power Supply
OR	CT40-NB-UVN-0	Non-Booted Netbase - For Ethemet comms, Kit includes Dock and Power Supply



	PART NUMBER	DESCRIPTION
1	CT40-CB-UVB-0	Booted Chargebase - Kit includes Dock and Power Supply
OR	CT40-NB-UVB-0	Booted Netbase - For Ethernet comms, Kit includes Dock and Power Supply
OR	CT40-NB-UVB-0	Booted Netbase - For Ethernet comms, Kit includes Dock and Power Supply



CT45 / CT45 XP CHARGING AND COMMUNICATION

Option 3 - Quad Battery Charger

Charge up to 4 batteries simultaneously

Supports Batteries: 318-055-010 - Battery, Standard, CT40 Gen 1 (4090mAh)

318-055-011 - Battery, Standard, CT40 Gen 1 (4040mAh)

318-055-014 - Battery, Standard, CT40 Gen 2 (4090mAh)


318-055-015 - Battery, Standard, CT40 Gen 2 (4020mAh)

318-055-017 - Battery, Standard, CT40 Healthcare (4020mAh)

318-055-067 - Battery, Standard, CT40 Gen 2 / XP, CT45 / XP (4020mAh)

318-055-D67 - Battery, Standard, CT40 DRH / XP (4020mAh)

318-055-H67 - Battery, Standard, CT40 Healthcare / XP (4020mAh)



don't forget:

102651 (mobit.ch)

CH Power Cable "Standard" (T12-C13, 3-pin, black, 2m)

Contact mobit for more info:

- DE/EN/IT: +41 (0)44 800 16 30, CH-8306 Brüttisellen
- FR: +41 (0)21 651 98 98, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch

	PART NUMBER	DESCRIPTION
1	CT40-QBC-0	Quad Battery Charger - Kit includes Dock and Power Supply
2	318-055-067	CT40 Gen 2 / XP Battery Pack, 4020mAh
OR	318-055-H67	CT40 Healthcare / XP battery Pack, 3.85V, 4020mAh, White cover



CT40 / CT40 XP / CT45 / CT45 XP BATTERY

Spare Battery Options



CT40 Gen 1 CT40-LxN-xxxxx0x



CT40 Gen 2 CT40-L0N-xxxxxAx CT40-L1N-xxxxxBx

CT40 XP CT40P-L0N-xxxxxAx CT40P-L1N-xxxxxBx



CT45 CT45-xxx-xxxxxxx

CT45 XP CT45P-xxx-xxxxxxx



3

CT40 Healthcare CT40-LxN-xxxxxHx

CT40 XP Healthcare CT40P-LxN-xxxxxHx



CT40 Disinfectant Ready CT40-LxN-xxxxxDx

CT40 XP Disinfectant Ready CT40P-LxN-xxxxxDx

		PART NUMBER	DESCRIPTION
	1	318-055-011	CT40 Gen 1 Battery Pack, 4040mAh, for use with CT40 configurations with plastic battery latch button
	2	318-055-067	$CT40\ Gen\ 2\ /\ XP, CT45\ /\ XP\ Battery\ Pack, 4020 mAh, for\ use\ with\ CT40\ /\ CT45\ configurations\ with\ metal\ battery\ latch\ button$
	3	318-055-H67	CT40 Healthcare / XP Battery Pack, 4020mAh, White cover, Healthcare
	4	318-055-D67	CT40 Disinfectant Ready / XP Battery Pack, 4020mAh



CT45 / CT45 XP CHARGING AND COMMUNICATION

Rack / Wall Mount Bracket

The Rack/Wall Mount Bracket has been optimized to work on a standard 19-inch (48cm) rack, as well as mounting directly onto a wall. Compatible with all 4-bay chargers.





MISCELLANEOUS

Optional Parts



PART NUMBER DESCRIPTION

CT40-HS-3PK CT40 HAND STRAP, pack of 3



PART NUMBER DESCRIPTION

CT40-HS-HC CT40 Healthcare HAND STRAP, 3PCS / PACK



Note: Stylus is not to be used with screen protector

 PART NUMBER
 DESCRIPTION

 213-048-001
 Pack of 5 CT40 / CT50 / CT60 replacement styluses.

 8754-871600-20
 Pack of 10 CT40 / CT50 / CT60 replacement styluses.

PART NUMBER DESCRIPTION

CT40-SP-1PK Contains 1 self-adhesive screen protectors



PART NUMBER DESCRIPTION

50121666-001 Power Adapter,12V 3A, No Power Cord, Compatible with CT40 Homebase / eHomebase / Quad Battery Charger



PART NUMBER DESCRIPTION

50121667-001 Power Adapter,12V 7A, No Power Cord, CT40 Quad Chargebase/Quad Netbase





MISCELLANEOUS

Optional Parts









PARTNUMBER	DESCRIPTION

CT40-UCP-N CT40 Non-Booted universal cup, to be used for CT40 without protective boot



CT40 Booted universal cup, to be used for CT40 with protective boot (CT45-PB-1) CT40-UCP-B





ART	NUMBER	DESCRIPTION
ARI	HOMBER	DESCRIPTION

CT45-VD-IST CT45 Vehicle dock plastic insert, can be used along with CT40-VD-CNV and CT45-VD-CNV



PART NUMBER	DESCRIPTION

CT45-SN-IST CT45 Snap on plastic insert, can be used along with CT40-SN-CNV and CT45-SN-CNV





MISCELLANEOUS

Optional Parts







PART NUMBER

DESCRIPTION

CT50-CC-12

CHARGING CABINET FOR CT40/CT50/CT60 with space to house 12 Computers and 12 Spare Batteries. Quad battery chargers (CT40-QBC-0) and Quad ChargeBase (CT40-CB-0)

PART NUMBER CT40-QL-00

DESCRIPTION

CT40 Quad Lock Case

Mount CT40 to 3rd party RFID readers











PART NUMBER

DESCRIPTION

825-237-001

POUCH, CT40/CT50/CT60/CT60 XP

PART NUMBER

DESCRIPTION

825-238-001

CT40/CT50/CT60/CT60 XP Holster





CT45 / CT45 XP VEHICLE INSTALL

Option 1 - Portable/ Sub Contractor Install

Simple Vehicle Charging, portable between vehicles.

Compatible with CT45 and CT45 XP with or without CT45-PB-1 Protective Boot installed.




	PART NUMBER	DESCRIPTION
1	CT45-SN-CNV	CT45 and CT45XP Booted and Non-Booted Snap On adaptor. Provides tethered USB client connectivity. Compatible with hand strap, battery pack, and scan handle. Charges mobile computer battery in four hours or less. Kit includes snap-on adapter with convertible adaptor (CT45-SN-IST).
2	CT45-CIGR-1	Charging CT45, CT45XP, CT40 and CT40XP configurations on vehicle. Quick Charge 3.0 compliant. Requires CT45 USB adapter (CT45-SN-CNV) or USB cable (CBL-500-120-500-05) to be ordered separately. (Converts 12 V/24 V cigarette lighter port to USB type-A power adapter for span-on use in a vehicle).

Option 2 - Portable/ Sub Contractor Install

Windscreen Suction Cup Mount, portable between vehicles.

Compatible with CT45 and CT45 XP with or without CT45-PB-1 Protective Boot installed.





CT45 / CT45 XP VEHICLE INSTALL

Option 3 - Fixed Vehicle Install with Direct Connection to Vehicle Battery

Best used when the vehicle input voltage varies, 10-30V. Compatible with CT45 and CT45 XP with or without CT45-PB-1 Protective Boot installed. CT45 Booted CT45-PB-1 CT45 Non-Booted Recommended Screws 8#-32-UNC (Length = 0.5 inch) 50143775-001 Pack 4 Screws Rear View Power Cables CT45-VD-IST Adapter Plate

	PART NUMBER	DESCRIPTION
1	CT45-VD-CNV	CT45 and CT45 XP Booted and Non-Booted Vehicle Dock. For charging CT45/XP with or without a convertible adaptor, compatible with hand strap. NFC tag integrated for seamless pairing with mobile computer. Kit includes vehicle dock (CT40-VD-CNV) with convertible adaptor (CT45-VD-IST).
2	203-802-001	Vehicle Dock Installation Kit (Power Option: For connection of Vehicle Dock directly to vehicle battery. Includes power cables and cable mounting hardware)
3	805-611-001	Mounting Kit, V-Dock RoHS




CT45 / CT45 XP VEHICLE INSTALL

Option 4 - Fixed Vehicle Install with Direct Connection to Vehicle Battery - External Speaker

Best used when the vehicle input voltage varies, 10-30V.

Compatible with CT45 and CT45 XP with or without CT45-PB-1 Protective Boot installed.




	PART NUMBER	DESCRIPTION
1	CT45-VD-CNV-SPK	CT45 and CT45 XP Booted and Non-Booted Vehicle Dock with External Speaker. For charging CT45/XP with or without a convertible adaptor, compatible with hand strap. NFC tag integrated for seamless pairing with mobile computer. Kit includes vehicle dock with convertible adaptor (CT45-VD-IST).
2	203-802-001	Vehicle Dock Installation Kit (Power Option: For connection of Vehicle Dock directly to vehicle battery. Includes power cables and cable mounting hardware)
3	805-611-001	Mounting Kit, V-Dock RoHS



CT45 / CT45 XP VEHICLE INSTALL

Option 5 - Fixed Vehicle Install with Direct Connection to Vehicle Battery/ Fuse Block

Best used when the vehicle input voltage varies, 10- 30V.






CT45 / CT45 XP VEHICLE INSTALL

Option 6 - Fixed Vehicle Install with Direct Connection to Vehicle Battery/ Fuse Block - External Speaker

Best used when the vehicle input voltage varies. 10-30V.






CT45 / CT45 XP VEHICLE INSTALL

Option 7 - Fixed Vehicle Install with Thor DC/DC Converter

Best used when the vehicle input voltage varies, 9-60V or 50-150V.






CT45 / CT45 XP VEHICLE INSTALL

Option 8 - Fixed Vehicle Install with Thor DC/DC Converter - External Speaker

Best used when the vehicle input voltage varies, 9-60V or 50-150V.

Compatible with CT45 and CT45 XP with or without CT45-PB-1 Protective Boot installed.





CT45 / CT45 XP VEHICLE INSTALL

CT45 Vehicle Dock (CT45-VD-CNV) Detail View - Booted





CT45 / CT45 XP VEHICLE INSTALL





CT45 / CT45 XP VEHICLE INSTALL

CT45 Vehicle Dock (CT45-VD-CNV) Detail View - Non-Booted





CT45 / CT45 XP VEHICLE INSTALL



Front View

Rear View



Honeywell CT45 / CT45XP Mobile Computers

Accessories Guide

Contact mobit for more info:

- > DE/EN/IT: +41 (0)44 800 16 30, CH-8306 Brüttisellen
- > FR: +41 (0)21 651 98 98, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch









mobile computing

labeling & identification

★ mobit.ch - mobilise your IT ★