

Zebra DS9900 Series 1D/2D Barcodes, QR, RFID – Scanners

Accessories Guide

ideal with
mobit m/ES
barcode
solution

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**, CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch



Zebra DS9900 Series Scanners


Cable options

USB

Series A



Power Plus



USB Cables

CBA-U21-S07ZBR

Shielded USB: Series A Connector
7 ft. (2.1m), Straight, BC1.2



OR

CBA-U23-S07ZBR

Shielded USB: Power Plus Connector
7 ft. (2.1m), Straight, 12V



Main features

- USB communication
- Automatically detects the host
- Powered from the host, including DS9908R
- Straight or coiled cables available, as well as various cable lengths
- Range of different host types cables available
- Compatible with DS9808 USB cables (Shielded USB Cables are recommended for best ESD performance)

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**, CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**, CH-1020 Renens
- E-mail: **info@mobit.ch**
- Contact form on **www.mobit.ch**

Zebra DS9900 Series Scanners

Cable options

RS-232



RS-232 Cables

CBA-R01-S07PBR

RS232: DB9F, 7 ft. (2.1m) ST, TXD-2, W/ TTL Current Limit Protection (requires external 5V power supply)

CBA-R37-C09ZBR

RS232: DB9F, 9 ft. (2.8m) CL, PWR Pin 9, W/ TTL Current Limit Protection

CBA-R08-S07ZBR

RS232: 7 ft. (2.1m), NIXDORF BEETLE- 5V Direct Power, W/ TTL Current Limit Protection



Main features

- Serial communication
- Automatically detects the host
- External power supply not required, unless specified
- Straight or coiled cables available, as well as various cable lengths
- Range of different host types cables available
- Compatible with DS9808 & DS9808R RS-232 cables

Power Supplies for RS-232 cables

PWR-WUA5V4W0EU

Power Supply, 5VDC, 100 - 240VAC, EU/UK



CBA-R01-S07PBR



+



PWR-WUA5V4W0US
Power Supply
5.2v, 1.1A

don't forget:

102651 (mobit.ch)

CH Power Cable "Standard"
(T12-C13, 3-pin, black, 2m)

don't forget:


102690 (mobit.ch)

CH Power Cable "Mickey Mouse"
(T12-C5, 3-pin, black, 2m)

Zebra DS9900 Series Scanners

Cable options

IBM (RS-485)



IBM Cables

CBA-M61-S07ZAR

Assembly, Cable, Auto-Host
detect – IBM: 468X/9X
7 ft. (2.1m) straight, Port 9B



Main features

- IBM 4690 communication
- Automatically detects the host, but does not choose a port address
- External power supply not required

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**, CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch

Zebra DS9900 Series Scanners

Mounting options

Multi-mount Bracket

BRKT-MM0099C-04

Multi-Mount, DS9908, Midnight Black

(compatible with DS9908 only, will not fit the DS9908R)

Zebra DS9908
Non-RFID Scanner



Zebra DS9900 Series 1D/2D Barcodes, QR, RFID – Scanners

Accessories Guide

ideal with
mobit m/ES
barcode
solution

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**, CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch

