

Honeywell CT60 / CT60XP Mobile Computers

Accessories and Services Guide

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**, CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch



ideal with
mobit m/ES
barcode
solution

Honeywell CT60 / CT60XP – Accessories

CT60 / CT60XP SCANNING

Option 1 – CT60 Scan Handle

Use for Scan intensive applications.

Easy on and Easy off to allow for recharging in CT60 desktop docks.

Compatible Devices: CT50, CT60
(Not Compatible with CT60 XP)

Not Compatible with Single Dock, Quad Charger or Vehicle Dock.



PART NUMBER	DESCRIPTION
-------------	-------------

1	CT50-SCH User installable scan handle for scan intensive applications.
---	--

Option 2 – CT60 XP Scan Handle

Use for Scan intensive applications.

Compatible Devices: CT60 XP
(Not Compatible with CT50 / CT60)

Compatible with Single Dock, Quad Charger. Not Compatible with Vehicle Dock.

Supports CT60 XP stylus stored inside scan handle.



PART NUMBER	DESCRIPTION
-------------	-------------

1	CT60-XP-SCH-DR CT60XP Scan Handle Disinfectant Ready (Stylus not included)
---	--

Honeywell CT60 / CT60XP – Accessories

CT60 / CT60XP DESKTOP COMMUNICATIONS

Option 1 – Portable

USB Communication to PC/ Mac OR Snap-On Charging



PART NUMBER	DESCRIPTION
1	CT50-USB Snap-on cup with Standard Type A connector.
2	213-029-001 Kit includes AC Power Adapter Kit (US, EU, UK, ANZ) & USB Cable

Option 2 – Fixed

USB and optional Ethernet Communication & Single Battery Charger.

don't forget:
102651 (mobit.ch)
CH Power Cable "Standard"
(T12-C13, 3-pin, black, 2m)



PART NUMBER	DESCRIPTION
1	CT50-HB-0 HomeBase - Kit includes Dock & Power Supply, must order Power Cord separately
OR	CT50-EB-0 eHomeBase - Ethernet Kit includes Dock & Power Supply, must order Power Cord separately
2	321-576-004 Cable Assembly - USB Type A to Type B

Honeywell CT60 / CT60XP – Accessories

CT60 CHARGING AND COMMUNICATION

Option 1 – CT50/CT60/CT60 XP Quad Charger

Chargebase – Quad Dock Charge Only

Netbase – Quad Dock with Ethernet



don't forget:
102651 (mobit.ch)
CH Power Cable "Standard"
(T12-C13, 3-pin, black, 2m)

PART NUMBER	DESCRIPTION
1	CT50-CB-0 Chargebase - Kit includes Dock and Power Supply
OR	CT50-NB-0 Netbase - For Ethernet comms and recharging upto 4 computers
2	** AC Power Cord – See Page 28 for Country Specific Power Cords

Option 2 – Quad Battery Charger


Charge up to 4 batteries simultaneously

Supports Batteries: 318-055-005 - Battery, Standard, CT50 / CT60 (4090mAh)

318-055-012 - Battery, Standard, CT50 / CT60 (4020mAh)

318-055-013 - Battery, Standard, CT60 NI / ATEX / IECex (4020mAh)

318-055-018 - Battery, Standard, CT60 XP (4020mAh)



PART NUMBER	DESCRIPTION
1	CT50-QBC-0 Quad Battery Charger - Kit Includes Dock and Power Supply
2	** See Page 19 for Battery selection
3	** AC Power Cord – See Page 28 for Country Specific Power Cords

Honeywell CT60 / CT60XP – Accessories

CT60 CHARGING AND COMMUNICATION

Option 3 – DX2 FlexDock 2-Bay

Charge Only – Dual Dock Charge Only
Ethernet – Dual Dock with Ethernet



Option 4 – DX4 FlexDock 4-Bay

Charge Only – Quad Dock Charge Only
Ethernet – Quad Dock with Ethernet



	PART NUMBER	DESCRIPTION
1	852-918-002	FlexDock Base Dual Charge Only
OR	852-919-002	FlexDock Base Dual Ethernet
2	50135809-001-K	FLEXDOCK CUP CT50/CT60 (Order 2 per DX2 FlexDock)
3	851-095-131	Universal Supply, 12V 48W Right Angle 2.5x5.5 Level IV
4	**	AC Power Cord – See Page 28 for Country Specific Power Cords

	PART NUMBER	DESCRIPTION
1	852-916-002	FlexDock Base Quad Charge Only
OR	852-917-002	FlexDock Base Quad Ethernet
2	50135809-001-K	FLEXDOCK CUP CT50/CT60 (Order 4 per DX4 FlexDock)
3	851-064-427	Universal Power Supply, 12V 8A 4Skt Level VI RoHS
4	**	AC Power Cord – See Page 28 for Country Specific Power Cords

Honeywell CT60 / CT60XP – Accessories

MISCELLANEOUS

Optional Parts

don't forget:

102651 (mobit.ch)

CH Power Cable "Standard"
(T12-C13, 3-pin, black, 2m)



PART NUMBER	DESCRIPTION
213-049-001	CT50 HAND STRAP, pack of 3



PART NUMBER	DESCRIPTION
213-049-003	HAND STRAP, ADJUSTABLE, CT50, PACK OF 3



PART NUMBER	DESCRIPTION
50121666-001	Power Adapter, 12V 3A, No Power Cord, Compatible with CT50/CT60 Homebase / eHomebase / Quad Battery Charger



IEC C14



PART NUMBER	DESCRIPTION
213-048-001	Pack of five CT50 replacement styluses.



PART NUMBER	DESCRIPTION
346-087-001	SCREEN PROTECTOR, CT50/CT60/CT60 XP



PART NUMBER	DESCRIPTION
50121667-001	Power Adapter, 12V 7A, No Power Cord, CT50/CT60 Quad Chargebase/Quad Netbase



IEC C14

Honeywell CT60 / CT60XP – Accessories

MISCELLANEOUS

Optional Parts



Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**, CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch



PART NUMBER	DESCRIPTION
825-239-001	HOLSTER,SCAN HANDLE,CT50, CT60 and CT60 XP



PART NUMBER	DESCRIPTION
825-237-001	POUCH,CT50/CT60/CT60 XP



PART NUMBER	DESCRIPTION
825-238-001	CT50/CT60/CT60 XP Holster

Honeywell CT60 / CT60XP – Accessories

CT60 / CT60XP VEHICLE DOCKS

Option 1 – CT50 and CT60

Not Compatible with CT60 XP.



PART NUMBER	DESCRIPTION
-------------	-------------

CT50-MB-0	Vehicle Dock w/ hard wired 3-pin power cable and a standard USB Type A cable Supports CT50 and CT60 (NOT Compatible with CT60 XP)
-----------	--

CT50-MB-1	Vehicle Dock w/ hard wired 3-pin power cable and a standard USB Type A cable, includes cigarette lighter power adapter Supports CT50 and CT60 (NOT Compatible with CT60 XP)
-----------	--

Option 2 – CT50, CT60 and CT60 XP

Vehicle Dock includes adapter inserts for CT50 / CT60 and CT60 XP.



PART NUMBER	DESCRIPTION
-------------	-------------

CT50-MB-0-XP	Vehicle Dock w/ hard wired 3-pin power cable and a standard USB Type A cable Supports CT50, CT60 and CT60 XP.
--------------	--

CT50-MB-1-XP	Vehicle Dock w/ hard wired 3-pin power cable and a standard USB Type A cable, includes cigarette lighter power adapter Supports CT50, CT60 and CT60 XP.
--------------	--

Honeywell CT60 / CT60XP – Accessories

CT60 / CT60XP VEHICLE INSTALL

Option 1 – Portable/ Sub Contractor Install

Simple Vehicle Charging, portable between vehicles.
Compatible with CT50, CT60 and CT60 XP.



PART NUMBER	DESCRIPTION
1 CT50-MC	Snap-on cup with Cigarette Lighter plug.

Option 2 – Portable/ Sub Contractor Install

Windscreen Suction Cup Mount, portable between vehicles.



PART NUMBER	DESCRIPTION
1 CT50-MB-1	Vehicle Dock w/ hard wired 3-pin power cable and a standard USB Type A cable Supports CT50 and CT60 (NOT Compatible with CT60 XP)
OR CT50-MB-1-XP	Vehicle Dock w/ hard wired 3-pin power cable and a standard USB Type A cable Supports CT50, CT60 and CT60 XP.
2 RAM-B-166-202U	Suction Cup Mount Kit

Honeywell CT60 / CT60XP – Accessories

CT60 / CT60XP VEHICLE INSTALL

Option 3 – Fixed Vehicle Install with Direct Connection to Vehicle Battery

Best used when the vehicle input voltage varies, 10- 30V.



	PART NUMBER	DESCRIPTION
1	CT50-MB-0	Vehicle Dock w/ hard wired 3-pin power cable and a standard USB Type A cable. Supports CT50 and CT60 (NOT Compatible with CT60 XP)
OR	CT50-MB-0-XP	Vehicle Dock w/ hard wired 3-pin power cable and a standard USB Type A cable Supports CT50, CT60 and CT60 XP.
2	203-802-001	Vehicle Dock Installation Kit (Power Option: For connection of Vehicle Dock directly to vehicle battery. Includes power cables and cable mounting hardware)
3	805-611-001	Mounting Kit, V-Dock RoHS

Honeywell CT60 / CT60XP – Accessories

CT60 / CT60XP VEHICLE INSTALL

Option 4 – Fixed Vehicle Install with Direct Connection to Vehicle Battery/ Fuse Block

Best used when the vehicle input voltage varies, 10- 30V.



	PART NUMBER	DESCRIPTION
1	CT50-MB-0	Vehicle Dock w/ hard wired 3-pin power cable and a standard USB Type A cable. Supports CT50 and CT60 (NOT Compatible with CT60 XP)
OR	CT50-MB-0-XP	Vehicle Dock w/ hard wired 3-pin power cable and a standard USB Type A cable Supports CT50, CT60 and CT60 XP.
2	226-109-003	72" (182.88 cm) Fuse block Power Cable with spade lugs and 3-pin connector
OR	226-109-004	22" (55.8 cm) Fuse block Power Cable with spade lugs and 3-pin connector
3	805-611-001	Mounting Kit, V-Dock RoHS
OPTIONAL	203-803-001	Vehicle Dock Fuse Block Power Kit RoHS (Provides connection to vehicle fuse block). Requires Power Cable (226-109-003 or 226-109-004).

Honeywell CT60 / CT60XP – Accessories

CT60 / CT60XP VEHICLE INSTALL

Option 5 – Fixed Vehicle Install with Thor DC/DC Converter

Best used when the vehicle input voltage varies, 9-60V or 50-150V.



PART NUMBER	DESCRIPTION
1	CT50-MB-0 Vehicle Dockw/ hard wired 3-pin power cable and a standard USB Type A cable. Supports CT50 and CT60 (NOT Compatible with CT60 XP)
OR	CT50-MB-0-XP Vehicle Dockw/ hard wired 3-pin power cable and a standard USB Type A cableSupports CT50, CT60 and CT60 XP.
2	9000311PWRSPLY DC/DC Converter Kit, 9-60V DC, RoHS (Requires 226-109-003 Wiring Harness)
OR	9000313PWRSPLY DC/DC Converter Kit, 50-150V DC RoHS (Requires 226-109-003 Wiring Harness)
	226-109-003 72" (182.88 cm) Fuse block Power Cable with spade lugs and 3-pin connector
3	805-611-001 Mounting Kit, V-Dock RoHS

Honeywell CT60 / CT60XP – Services

CT60 / CT60 XP



Warranty Cover Against
Product Defect

BASIC Service

Gold Coverage:

- Accidental Damage
- Wear & Tear

Includes Replacement of:

- Handstrap
- Screen Protector
- Stylus



Flexible GOLD Add-Ons ordered separately

- | | |
|---------------------|--------------------|
| • SVCACC-MOB3 | Accessories |
| • SVCBATTERY-MOB3 | Batteries |
| • SVCREPLACE-MOB3 | Device Replacement |
| • SVCIMAGEMGMT-MOB3 | Image Service |
| • SVCSPAREMGMT-MOB3 | Advanced Exchange |

GOLD Service

Platinum Coverage

- Battery Replacement
- Coverage for Docks/ Chargers
- Sentinel Extended Service for Android Security Updates
- Accidental Damage
- Device Replacement
- Wear & Tear



Pistol Grip



Vehicle Dock



Car Chargers



Battery

(3 Year – 1 replacement battery per CT60)
(5 Year – 2 replacement batteries per CT60)



Docks



Dock Power Supplies

PLATINUM Service

MO-REP-HANDL-MDE-3
MO-KONF-SERV-MDE-3

Repair Handling (mobit)
Configuration Service (mobit)

MO-REP-HANDL-MDE-5
MO-KONF-SERV-MDE-5

Repair Handling (mobit)
Configuration Service (mobit)

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**, CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch

Honeywell CT60 / CT60XP Mobile Computers

Accessories and Services Guide

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**, CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch



ideal with
mobit m/ES
barcode
solution