

Zebra MC9400 / MC9450 Series Ultra-Rugged Mobile Computers

Accessories Guide

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**, CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch




▶ mobile computing

▶ labeling & identification



★ mobit.ch - mobilise your IT ★



Zebra MC9400 / MC9450 – Accessories

Single Device Cradles				
Part Number	Picture	Description	Notes	Required Items
CRD-MC93-2SUCHG-01		Single Slot Charge/Communication Cradle	<ul style="list-style-type: none"> ▶ Provides USB support ▶ Supports device and spare battery charging. ▶ Supports fast-charging of device and battery: <ul style="list-style-type: none"> - charges battery from 0-90% in about 3.5 hours. ▶ LED notification of spare battery charging status. ▶ Does not support mounting on Multi-Slot Wall/Rack Mount Bracket (BRKT-SCRD-SMRK-01). 	<ul style="list-style-type: none"> ▶ Power Supply (PWR-BGA12V50W0WW and CBL-DC-388A1-01) - or KIT-PWR-12V50W which includes both. ▶ AC Line Cord (23844-00-00F or country specific version) ▶ USB-C cable (CBL-TC5X-USBC2A-01 or CBL-TC2X-USBC-01) or similar 3rd party USB-C standard cable

ADP-MC93-CRDCUP-01		MC9300/MC9400 Adapter Cup to MC90/MC91/MC92 Legacy Cradles	<ul style="list-style-type: none"> ▶ Allows MC9300/MC9400 to be used with MC90/MC91/MC92 Single Slot and Multi-Slot Cradles. ▶ Adapter Cup includes circuitry to convert between voltages differences of MC90/MC91/MC92 and MC9300/MC9400. ▶ NOTE: Adapter Cup does not provide communications support (USB, Serial, Ethernet). Will only provide charging support. ▶ Does NOT support fast-charging of MC9300/MC9400. MC9300/MC9400 used in legacy cradles will be charged at standard rate: <ul style="list-style-type: none"> - charges battery from 0-90% in about 5.8 hours at standard charging rate. ▶ Order one Adapter Cup for Single Slot Cradles and four Adapter Cups for Multi-Slot Cradles.
--------------------	--	--	--



don't forget:
102651 (mobit.ch)
 CH Power Cable "Standard"
(T12-C13, 3-pin, black, 2m)

Zebra MC9400 / MC9450 – Accessories

Multi-Device Cradles				
Part Number	Picture	Description	Notes	Required Items
CRD-MC93-4SCHG-01		4-Slot Charge-Only ShareCradle	<ul style="list-style-type: none"> ▶ Will charge up to four devices. ▶ Does not charge spare batteries. ▶ Supports fast-charging of device: <ul style="list-style-type: none"> - charges battery from 0-90% in about 3.5 hours. ▶ Can be racked/ mounted in a standard 19inch rack system via the mounting accessory (BRKT-SCRD-SMRK-01) 	<ul style="list-style-type: none"> ▶ DC Line Cord (CBL-DC-381A1-01) and Power Supply (PWR-BGA12V108W0WW) ▶ AC Line Cord (23844-00-00F or country specific version)
CRD-MC93-4SETH-01		4-Slot Ethernet/Charging ShareCradle	<ul style="list-style-type: none"> ▶ Allows network speeds up to 1 Gb ▶ Will charge up to four devices. ▶ Supports fast-charging of device: <ul style="list-style-type: none"> - charges battery from 0-90% in about 3.5 hours. ▶ Provides Ethernet daisy chaining support for connecting multiple cradles together. ▶ Can be racked/mounted in a standard 19 inch rack system via the mounting accessory (BRKT-SCRD-SMRK-01) 	<ul style="list-style-type: none"> ▶ DC Line Cord (CBL-DC-381A1-01) and Power Supply (PWR-BGA12V108W0WW) ▶ AC Line Cord (23844-00-00F or country specific version)


don't forget:
102651 (mobit.ch)
 CH Power Cable "Standard"
 (T12-C13, 3-pin, black, 2m)

Zebra MC9400 / MC9450 – Accessories

Battery Charging				
Part Number	Picture	Description	Notes	Required Items
SAC-MC93-4SCHG-01		4-Slot Battery Charger	<ul style="list-style-type: none"> ▶ This cradle charges spare batteries only. ▶ Supports fast-charging of batteries: <ul style="list-style-type: none"> - charges battery from 0-90% in about 3.3 hours vs. 5.8 hours for standard charging rate. ▶ Does not support mounting on Multi-Slot Wall/Rack Mount Bracket (BRKT-SCRD-SMRK-01). ▶ Units manufactured after 11/2022 will include a USB-C port which enables firmware updates on the charger. No other USB functions are supported. 	<p><u>To power single 4-slot Charger:</u></p> <ul style="list-style-type: none"> ▶ Power Supply (PWR-BGA12V50W0WW) ▶ DC Line Cord (CBL-DC-388A1-01) ▶ AC Line Cord (23844-00-00F or country specific version) <p><u>To power two sets of 4-slot Chargers from one power supply:</u></p> <ul style="list-style-type: none"> ▶ Power Supply (PWR-BGA12V108W0WW) ▶ DC Y-Cable Line Cord (CBL-DC-523A1-01) ▶ AC Line Cord (23844-00-00F or country specific version) <p><u>To power four 4-slot Chargers:</u> Use 16-Slot Battery Charger (SAC-MC93-16SCHG-01) instead.</p>
SAC-MC93-16SCHG-01		16-Slot Battery Charger	<ul style="list-style-type: none"> ▶ Charges spare batteries. ▶ Supports fast-charging of batteries: <ul style="list-style-type: none"> - charges battery from 0-90% in about 3.3 hours vs. 5.8 hours for standard charging rate. ▶ Can be racked/mounted in a standard 19 inch rack system via the mounting accessory (BRKT-SCRD-SMRK-01). ▶ Units manufactured after 11/2022 will include a USB-C port which enables firmware updates on the charger. No other USB functions are supported. 	<ul style="list-style-type: none"> ▶ Power Supply (PWR-BGA12V108W0WW) ▶ DC Line Cord (CBL-DC-381A1-01) ▶ AC Line Cord (23844-00-00F or country specific version)

don't forget:
102651 (mobit.ch)
 CH Power Cable "Standard"
 (T12-C13, 3-pin, black, 2m)



Zebra MC9400 / MC9450 – Accessories

Direct to Device Charging				
Part Number	Picture	Description	Notes	Required Items
CBL-MC93-USBCHG-01		USB Communication/Charging Cable Adapter	<ul style="list-style-type: none"> ▶ Attaches to charge/communication port on bottom of device. ▶ Provides both USB communications and charging support via USB-C connector. ▶ Will charge battery from 0-90% in as little as 3.5 hours when used with USB Power Supply (PWR-WUA5V12W0xx) 	<ul style="list-style-type: none"> ▶ USB-C cable (CBL-TC5X-USBC2A-01 or CBL-TC2X-USBC-01) or similar 3rd party USB-C standard cable ▶ USB charger... <p>Indoor use: order Country Specific version of USB Power Supply (PWR-WUA5V12W0xx)</p> <p>In Vehicle use: USB Cigarette Lighter Adapter (CHG-AUTO-USB1-01)</p>

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**
CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**
CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch

Zebra MC9400 / MC9450 – Accessories

Communication Cables				
Part Number	Picture	Description	Notes	Required Items
CBL-TC5X-USBC2A-01		USB-C cable for Charging/Communication	<ul style="list-style-type: none"> ▶ USB-A to USB-C cable ▶ Attaches to Single Slot Charge/Communication Cradle (CRD-MC93-2SUCHG-01) OR to USB-C port on the USB Communication-Charging Cable Adapter (CBL-MC93-USBCHG-01). ▶ Cable length is 1M (~3.25 ft.) 	<p>For use with USB Communication/Charging Cable Adapter (CBL-MC93-USBCHG-01);</p> <ul style="list-style-type: none"> ▶ For charging via AC Wall Outlet: USB Power Adapter (PWR-WUA5V12W0US - or country specific version) ▶ For charging in-vehicle: USB Cigarette Lighter Adapter (CHG-AUTO-USB1-01)
CBL-TC2Y-USBC90A-01		USB-C cable with right angle connector for Charging/Communication	<ul style="list-style-type: none"> ▶ USB-A to USB-C cable ▶ USB-A connector end has a 90° bend allowing cable to be used in tighter locations. ▶ Attaches to Single Slot Charge/Communication Cradle (CRD-MC93-2SUCHG-01) OR to USB-C port on the USB Communication-Charging Cable Adapter (CBL-MC93-USBCHG-01). ▶ Cable length is about 1.1M (45"). 	<p>For use with USB Communication/Charging Cable Adapter (CBL-MC93-USBCHG-01);</p> <ul style="list-style-type: none"> ▶ For charging via AC Wall Outlet: USB Power Adapter (PWR-WUA5V12W0US - or country specific version) ▶ For charging in-vehicle: USB Cigarette Lighter Adapter (CHG-AUTO-USB1-01)

Zebra MC9400 / MC9450 – Accessories

Soft Goods - Cases/Holsters			
Part Number	Picture	Description	Notes
SG-MC9X-SHLSTG-01		MC9x Gun Holster	<ul style="list-style-type: none"> ▶ Holster secures the MC9x-G on the user's waist and has the ability to also be used with a durable nylon adjustable belt or an adjustable nylon shoulder strap. (Belt and shoulder strap purchased separately). ▶ Ballistic nylon case ▶ Weep hole at bottom of case ▶ Compatible with all MC9x-Gun configurations, including MC9300/MC9400. ▶ Padding on side of Holster is slightly thicker than SG-MC9121112-01R. ▶ Compatible with devices using Rubber Boot (SG-MC93-RBTG-01), although the fit will be tight.
11-08062-02R		Belt for holster	<ul style="list-style-type: none"> ▶ Belt is 2 inches wide ▶ Extends to 48 inches ▶ Has improved buckle and softer belt material
58-40000-007R		Shoulder Strap for MC9x Gun Holster	▶ 1.5" wide, 22 to 50" max. length
KT-70147-01R		Belt Clip	Allows MC9x-G units to be hooked onto the Belt Clip using the unit's handstrap

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**
CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**
CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch

Zebra MC9400 / MC9450 – Accessories

<p>SG-MC93-RBTG-01</p>		<p>Rubber Boot</p>	<ul style="list-style-type: none"> ▶ Works with both Laser and Imager gun units ▶ Devices with Boot will also fit into Gun Holster (SG-MC9X-SHLSTG-01). The fit will be tight though. ▶ Does not increase drop spec of device. Designed to protect the device from the everyday nicks and dings. ▶ Not compatible with Forklift Holder (MNT-MC93-FLCH-01). ▶ Bottom portion of boot must be removed before inserting into Single Slot and Multi-Slot cradles. ▶ Not compatible with DPM (Direct Part Mark) scan engine configs.
<p>MISC-MC93-SCRN-01 (pack of 5)</p>		<p>Tempered Glass Screen Protector (pack of 5)</p>	<ul style="list-style-type: none"> ▶ Tempered glass ▶ Includes alcohol wipes, cleaning cloth and tools needed for screen protector installation.


Zebra MC9400 / MC9450 – Accessories

Un-Powered Cradles and Holders (passive holders, no charging support)			
Part Number	Picture	Description	Notes
MNT-MC93-FLCH-01		MC9X Forklift Holder (passive - unpowered)	<ul style="list-style-type: none"> ▶ Bracket holds MC9X for convenient mounting on fork lift. ▶ Installs on a roll bar or square surface of the forklift and allows the device to be used in landscape or portrait mode. ▶ Includes RAM B size ball (1" diameter) on back of holder. ▶ Does NOT provide device charging. ▶ Not compatible with devices with rubber boot attached. ▶ Not compatible with DPM (Direct Part Mark) scan engine configs.
MNT-RAM-B201U		RAM Mount Arm for MC9X00 Fork Lift Cradle	<ul style="list-style-type: none"> ▶ Used with Fork Lift Holder (MNT-MC93-FLCH-01) ▶ RAM Double Sock Arm for 1" ball (B size) ▶ Uses RAM Mount P/N RAM-B-201U
MNT-RAM-B247U25		RAM Mount Base for MC9X00 Fork Lift Cradle	<ul style="list-style-type: none"> ▶ Used with Fork Lift Holder (MNT-MC93-FLCH-01) ▶ Attaches to square shaped rail/post of forklift. ▶ 2.5" Max Width Square Rail Base with 1" diameter ball (B size) ▶ Uses RAM Mount P/N RAM-B-247U-25

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**
CH-8306 Brüttsellen
- FR: **+41 (0)21 651 98 98**
CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch






Zebra MC9400 / MC9450 – Accessories

Headset/Audio Accessories				
NOTE: Wired headsets not supported. Use Bluetooth headset instead.				
Bluetooth headsets with PTT function not supported by Zebra PTT Express application. Check Zebra WFC Central Client app Release Notes to verify compatibility.				
Part Number	Picture	Description	Notes	Required Items
See HS2100-HS3100 Accessories Document		HS3100 Rugged Bluetooth Headset for VDP applications	<ul style="list-style-type: none"> ▶ HD Voice, also known as Wide Band Audio, brings incredible audio clarity ▶ Built to handle the everyday inevitable drops ▶ Dustproof, sprayproof and waterproof ▶ Ready for the freezer and outdoor subzero temperatures ▶ Feather-light for extraordinary comfort ▶ Noise cancellation tuned for VDP (voice directed picking) applications. ▶ Not designed for the aggressive noise cancellation required for VoIP or voice calls. Headset's send level is not tuned to satisfy VoIP or voice standards and will result with audio being quieter at the far end and delivering more noise. ▶ Swap batteries on the fly — without losing the Bluetooth connection ▶ Split-second tap-to-pair simplicity using NFC. ▶ Detachable swivel boom minimizes costs. ▶ Swivelling boom mutes microphone allowing uses to prevent voice pick applications from recognizing non-voice pick conversations. ▶ User-replaceable pads and windscreens maximize comfort and hygiene ▶ 15 hours of battery power 	▶ See HS2100/HS3100 Accessories Document for headset accessories

Zebra MC9400 / MC9450 – Accessories

Power Cords/Power Supplies				
Part Number	Picture	Description	Notes	Required Items
CBL-DC-388A1-01		DC Power Cord	<ul style="list-style-type: none"> ▶ Used along with Power Supply PWR-BGA12V50W0WW to power CRD9000-1001S, ADP9000, and MSR9000. ▶ Cable length is 1.8 meters 	
CBL-DC-395A1-01		DC Power Cord	Used along with Power Supply PWR-BGA12V50W0WW to power SAC9000 4-Slot Battery Charger	
PWR-BGA12V50W0WW		Power Supply	<ul style="list-style-type: none"> ▶ Used to power CRD9000-1001S, ADP9000, and MSR9000. ▶ 100-240 VAC, 12V, 4.16A, 50W ▶ Provides US DOE Level VI compliance for power efficiency. ▶ Replaces PWRS-14000-148R 	<ul style="list-style-type: none"> ▶ DC Line Cord (CBL-DC-388A1-01) ▶ AC Line Cord (23844-00-00F or country specific version)
KIT-PWR-12V50W		Power Supply Kit for Single Slot Cradle and Snap-Ons	<ul style="list-style-type: none"> ▶ Used to power CRD9000-1001S, ADP9000, and MSR9000 ▶ Includes Power Supply (PWR-BGA12V50W0WW) and DC Line Cord (CBL-DC-388A1-01) 	<ul style="list-style-type: none"> ▶ AC Line Cord (23844-00-00F or country specific version)

Zebra MC9400 / MC9450 – Accessories

<p>KT-PWR-50W395A1-01</p>		<p>Power Supply Kit for 4-Slot Battery Charger</p>	<ul style="list-style-type: none"> ▶ Used to power SAC9000 Battery Charger ▶ Includes Power Supply (PWR-BGA12V50W0WW) and DC Line Cord (CBL-DC-395A1-01) 	<ul style="list-style-type: none"> ▶ AC Line Cord (23844-00-00F or country specific version)
<p>CBL-DC-381A1-01</p>		<p>DC Power Cord</p>	<ul style="list-style-type: none"> ▶ Used to power 4-Slot Cradles when using Level VI Efficiency power supply (PWR-BGA12V108W0WW) ▶ This cable does not include the black extension release latch which is not required when used on Multi-Slot ShareCradles. 	
<p>CBL-DC-382A1-01</p>		<p>DC Power Cord</p>	<ul style="list-style-type: none"> ▶ Used to power 4-Slot Cradles when using Level VI Efficiency power supply (PWR-BGA12V108W0WW) ▶ Cable has black extension tab for releasing the cable from the back of the cradle. This isn't required when using Multi-Slot ShareCradles. 	
<p>CBL-DC-523A1-01</p>		<p>2-Way DC Y Power Cord</p>	<ul style="list-style-type: none"> ▶ Used to power two 4-Slot Battery Chargers with one Power Supply (PWR-BGA12V108W0WW) 	
<p>PWR-BGA12V108W0WW</p>		<p>Power Supply</p>	<ul style="list-style-type: none"> ▶ Used to power Four Slot Cradles and SAC9000 Battery Charger ▶ 100-240 VAC, 12V, 9A, 108W ▶ Provides US DOE Level VI compliance for power efficiency. ▶ Replaces PWRS-14000-241R 	<ul style="list-style-type: none"> ▶ CBL-DC-382A1-01 ▶ AC Line Cord (23844-00-00F or country specific version)



Zebra MC9400 / MC9450 – Accessories

<p>Contact mobit for more info:</p> <ul style="list-style-type: none"> ➤ DE/ EN/ IT: (+41) 044 800 16 30 CH-8306 Brüttisellen ➤ FR: (+41) 021 651 98 98 CH-1020 Renens ➤ E-mail: info@mobit.ch ➤ Contact form on www.mobit.ch 		<p>USB Power Supply</p>	<ul style="list-style-type: none"> ▶ Used with USB Communication/Charging Cable Adapter (CBL-MC93-USBCHG-01) to provide a lower cost charging solution than using a Cradle. ▶ Provides higher current (2.5A) for faster charging ▶ 100-240 VAC, 5 V, 2.5 A 	<ul style="list-style-type: none"> ▶ USB Communication/Charging Cable Adapter (CBL-MC93-USBCHG-01) ▶ USB-C Cable (CBL-TC2X-USBC-01) or (CBL-TC5X-USBC2A-01)
<p>CHG-AUTO-USB1-01 CHG-AUTO-USB1-BR (for Brazil)</p>		<p>USB Cigarette Lighter Adapter for MC93</p>	<ul style="list-style-type: none"> ▶ Used with USB Communication/Charging Cable Adapter (CBL-MC93-USBCHG-01) to provide in-vehicle charging. ▶ Includes two USB A ports providing higher current (2.5A) for faster charging 	<ul style="list-style-type: none"> ▶ USB Communication/Charging Cable Adapter (CBL-MC93-USBCHG-01) ▶ USB-C Cable (CBL-TC2X-USBC-01) or (CBL-TC5X-USBC2A-01)

Zebra MC9400 / MC9450 – Accessories

Batteries			
Part Number	Picture	Description	Notes
<p>BTRY-MC93-STN-01 (single)</p> <p>BTRY-MC93-STN-10 (10 pack)</p> <p>BTRY-MC93-STN-IN (for use in India)</p>		<p>Spare Standard Battery with PowerPrecision Plus (7000 mAh - 25Wh)</p> 	<ul style="list-style-type: none"> ▶ Designed, manufactured & tested to meet rigorous controls & standards ▶ Premium-grade cells with higher capacity & longer life cycle ▶ Designed to help prevent overcharging & electrical shock ▶ Strong & robust housing for optimal performance & durability ▶ Information available: <ul style="list-style-type: none"> - Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device. - Advanced State of Health (highly accurate end-of-life prediction) - Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency).


Zebra MC9400 / MC9450 – Accessories

<p>BTRY-MC94-BLE-01 (single)</p> <p>BTRY-MC94-BLE-10 (10 pack)</p>	<p>coming soon</p>	<p>Spare Standard Battery with PowerPrecision Plus and BLE beacon (7000 mAh - 25Wh)</p>  	<ul style="list-style-type: none"> ▶ Designed, manufactured & tested to meet rigorous controls & standards ▶ Premium-grade cells with higher capacity & longer life cycle ▶ Designed to help prevent overcharging & electrical shock ▶ Strong & robust housing for optimal performance & durability ▶ Information available: <ul style="list-style-type: none"> - Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device. - Advanced State of Health (highly accurate end-of-life prediction) - Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency). ▶ Includes Bluetooth beacon allowing device to be located while powered off using solutions like Zebra Device Tracker. Once the battery can no longer power the device the BLE beacon in the battery will continue to beacon for about 14-21 days. ▶ NOTE: MC9300 may require OS/LifeGuard update to support Bluetooth beacon feature. ▶ Battery purchase is eligible for discounted Device Tracker 1-year or 3-year subscription. See PMB 10836 for details.
--	--------------------	--	---







Zebra MC9400 / MC9450 – Accessories

<p>BTRY-MC93-FRZ-01 (single)</p> <p>BTRY-MC93-FRZ-10 (10 pack)</p>		<p>Spare Freezer Battery with PowerPrecision Plus (5000 mAh - 18Wh)</p> 	<ul style="list-style-type: none">▶ Designed, manufactured & tested to meet rigorous controls & standards▶ Premium-grade cells with higher capacity & longer life cycle▶ Designed to help prevent overcharging & electrical shock▶ Strong & robust housing for optimal performance & durability▶ Information available:<ul style="list-style-type: none">- Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device.- Advanced State of Health (highly accurate end-of-life prediction)- Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency).▶ Lower battery capacity (5000 mAh) compared to standard battery (7000 mAh) is capable of providing more power at typical freezer temperature than the standard battery.
--	---	---	--

Zebra MC9400 / MC9450 – Accessories

<p>BTRY-MC93-NI-01 (single)</p> <p>BTRY-MC93-NI-10 (10 pack)</p>		<p>Spare Non-Incendive Battery with PowerPrecision Plus (7000 mAh - 25Wh)</p> 	<ul style="list-style-type: none">▶ Battery is designed to be used with MC9300MC9400 NI (Non-Incendive) devices.▶ Designed, manufactured & tested to meet rigorous controls & standards▶ Premium-grade cells with higher capacity & longer life cycle▶ Designed to help prevent overcharging & electrical shock▶ Strong & robust housing for optimal performance & durability▶ Information available:<ul style="list-style-type: none">- Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device.- Advanced State of Health (highly accurate end-of-life prediction)- Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency).
--	---	---	--





Zebra MC9400 / MC9450 – Accessories

Replacement Key pads				
Part Number	Picture	Description	Notes	
<p>KYPD-MC9329NMR-01 (single)</p> <p>KYPD-MC9329NMR-10 (pack of 10) ▶ Discontinued 8/2021 - see PMB 10694</p>		29-Key Numeric Primary keyboard for MC93	<ul style="list-style-type: none"> ▶ Freezer compatible ▶ Backlight compatible ▶ Indoor / Outdoor use ▶ NOTE: Will be updated to use green scanner trigger button (from MC94) vs. yellow as stock runs out (see photo at right). 	
<p>KYPD-MC9334FNR-01 (single)</p> <p>KYPD-MC9334FNR-10 (pack of 10) ▶ Discontinued 8/2021 - see PMB 10694</p>		34-Key keyboard for MC93	<ul style="list-style-type: none"> ▶ Freezer compatible ▶ Backlight compatible ▶ Indoor / Outdoor use ▶ NOTE: Will be updated to use green scanner trigger button (from MC94) vs. yellow as stock runs out (see photo at right). 	
<p>KYPD-MC9343FN-01 (single)</p> <p>KYPD-MC9343FN-10 (pack of 10) ▶ Discontinued 8/2021 - see PMB 10694</p>		43-Key keyboard for MC93	<ul style="list-style-type: none"> ▶ Freezer compatible ▶ Backlight compatible ▶ Indoor / Outdoor use ▶ NOTE: Will be updated to use green scanner trigger button (from MC94) vs. yellow as stock runs out (see photo at right). 	

Contact **mobit** for more info:

- ▶ DE/EN/IT: **+41 (0)44 800 16 30**
CH-8306 Brüttisellen
- ▶ FR: **+41 (0)21 651 98 98**
CH-1020 Renens
- ▶ E-mail: info@mobit.ch
- ▶ Contact form on www.mobit.ch

Zebra MC9400 / MC9450 – Accessories

<p>KYPD-MC9353ANR-01 (single)</p> <p>KYPD-MC9353ANR-10 (pack of 10)</p>		<p>53-Key Standard keyboard for MC93</p>	<ul style="list-style-type: none"> ▶ Freezer compatible ▶ Backlight compatible ▶ Indoor / Outdoor use ▶ NOTE: Will be updated to use green scanner trigger button (from MC94) vs. yellow as stock runs out (see photo at right). 	
<p>KYPD-MC9353VT-01 (single)</p> <p>▶ Discontinued 8/2021 - see PMB 10694</p> <p>KYPD-MC9353VT-10 (pack of 10)</p>		<p>53-Key VT keyboard for MC93</p>	<ul style="list-style-type: none"> ▶ Freezer compatible ▶ Backlight compatible ▶ Indoor / Outdoor use ▶ NOTE: Will be updated to use green scanner trigger button (from MC94) vs. yellow as stock runs out (see photo at right). 	
<p>KYPD-MC93535250-01 (single)</p> <p>KYPD-MC93535250-10 (pack of 10)</p>		<p>53-Key 5250 keyboard for MC93</p>	<ul style="list-style-type: none"> ▶ Freezer compatible ▶ Backlight compatible ▶ Indoor / Outdoor use ▶ NOTE: Will be updated to use green scanner trigger button (from MC94) vs. yellow as stock runs out (see photo at right). 	
<p>KYPD-MC9358ANR-01 (single)</p> <p>KYPD-MC9358ANR-10 (pack of 10)</p>		<p>58-Key Alpha-Numeric keyboard for MC93</p>	<ul style="list-style-type: none"> ▶ Freezer compatible ▶ Backlight compatible ▶ Indoor / Outdoor use ▶ NOTE: Will be updated to use green scanner trigger button (from MC94) vs. yellow as stock runs out (see photo at right). 	

Zebra MC9400 / MC9450 Series Ultra-Rugged Mobile Computers

Accessories Guide

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**, CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch



▶ mobile computing

▶ labeling & identification



★ mobit.ch - mobilise your IT ★