

Zebra TC201 Mobile Computers

Accessories Guide

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**, CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch



Zebra TC201 – Cradles

One-Device ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-1 D**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-1 D**



TC201 Standard-Charging ShareCradle for a Single Device.

- Device with standard battery charges from 0–90% in about 1 hour and 20 mins.
- Connects to charge contacts on the bottom of the device.
- Sold separately: USB-C Cable SKU# **CBL-EC5X-USBC3A-01**, and Country-Specific Power Adapter SKU# **PWR-WUA5V45W1XX** (Replace 'XX' in SKU to get the right plug style based on region)

One-Device Ethernet ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-1 DE**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-1 DE**



TC201 Ethernet ShareCradle for a Single Device.

- Device with standard battery charges from 0–90% in about 1 hour and 20 mins.
- Connects to charge contacts and USB-C port on the bottom of the device.
- There is an Ethernet Port, and spare USB-C port.
- Sold separately: USB-C Cable SKU# **CBL-EC5X-USBC3A-01**, and Country-Specific Power Adapter SKU# **PWR-WUA5V45W1XX** (Replace 'XX' in SKU to get the right plug style based on region)

Two-Device ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-2D**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-2D**



TC201 Charge-Only ShareCradle for Two Devices.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Sold separately: USB-C Cable SKU# **CBL-EC5X-USBC3A-01**, and Country-Specific Power Adapter SKU# **PWR-WUA5V45W1XX** (Replace 'XX' in SKU to get the right plug style based on region)

One-Device & One-Battery ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-1 D1 B**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-1 D1 B**



One-Device & One Battery Ethernet ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-1 D1 BE**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-1 D1 BE**



TC201 Charge-Only ShareCradle for a Single Device and its Spare Battery.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Sold separately: USB-C Cable SKU# **CBL-EC5X-USBC3A-01**, and Country-Specific Power Adapter SKU# **PWR-WUA5V45W1XX** (Replace 'XX' in SKU to get the right plug style based on region)

TC201 Ethernet ShareCradle for a Single Device and its Spare Battery.

- Device with standard battery charges from 0–90% in about 1½ hours.
- There is an Ethernet Port, and spare USB-C port.
- Connects to charge contacts and USB-C port on the bottom of the device.
- Sold separately: USB-C Cable SKU# **CBL-EC5X-USBC3A-01**, and Country-Specific Power Adapter SKU# **PWR-WUA5V45W1XX** ('XX' in SKU to get the right plug style based on region)

Zebra TC201 – Cradles



Five-Device ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-5D**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-5D**



TC201 Fast-Charging ShareCradle for Five Devices.

- Device with standard battery charges from 0–90% in about 1½ hours
- Connects to charge contacts on the bottom of the device.
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#), and Country-Specific AC Line Cord (listed later in this document).



Five-Device Ethernet ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-5DE**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-5DE**



TC201 Ethernet ShareCradle for Five Devices.

- Device with standard battery charges from 0–90% in about 1½ hours.
- There is an Ethernet Port, and spare USB-C port.
- Connects to charge contacts and USB-C port on the bottom of the device.
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#), and Country-Specific AC Line Cord (listed later in this document).



Five-Device ShareCradle Kit

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-5D-1**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-5D-1**



TC201 Fast-Charging ShareCradle for Five Devices.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Includes: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#)
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Country-Specific AC Line Cord (listed later in this document).



Five-Device Ethernet ShareCradle Kit

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-5DE-1**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-5DE-1**



TC201 Ethernet ShareCradle for Five Devices.

- Device with standard battery charges from 0–90% in about 1½ hours.
- There is an Ethernet Port, and spare USB-C port.
- Connects to charge contacts and USB-C port on the bottom of the device.
- Includes: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#)
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Country-Specific AC Line Cord (listed later in this document).

Zebra TC201 – Cradles

Five-Device & Five-Battery ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-5D5B**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVTB-5D5B**



TC201 Charge-Only ShareCradle for Five Devices and Five Spare Batteries.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#), and Country-Specific AC Line Cord (listed later in this document).

1 0-Device ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-1 0D**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-1 0D**



TC201 Charge-Only ShareCradle for 1 0 Devices.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#), and Country-Specific AC Line Cord (listed later in this document).

Five-Device & Five-Battery ShareCradle Kit

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-5D5B-1**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-5D5B-1**



TC201 Charge-Only ShareCradle for Five Devices and Five Spare Batteries.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Includes: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#).
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Country-Specific AC Line Cord (listed later in this document).

1 0-Device ShareCradle Kit

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-1 0D-1**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-1 0D-1**



TC201 Charge-Only ShareCradle for 1 0 Devices.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Includes: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#).
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Country-Specific AC Line Cord (listed later in this document).

Zebra TC201 – Legacy Share Cradle Cups



One-Device Replacement ShareCradle Cup

Devices WITH a rugged boot:

SKU# CRDCUP-TC2L1 CB-01

Devices WITHOUT a rugged boot:

SKU# CRDCUP-TC2L1 C-01



Five-Device Replacement ShareCradle Cup

Devices WITH a rugged boot:

SKU# CRDCUP-TC2L5CB-01

Devices WITHOUT a rugged boot:

SKU# CRDCUP-TC2L5C-01



One-Device Replacement Ethernet ShareCradle Cup

Devices WITH a rugged boot:

SKU# CRDCUP-TC2L1 EB-01

Devices WITHOUT a rugged boot:

SKU# CRDCUP-TC2L1 E-01



Five-Device Replacement Ethernet ShareCradle Cup

Devices WITH a rugged boot:

SKU# CRDCUP-TC2L5E-01

Devices WITHOUT a rugged boot:

SKU# CRDCUP-TC2L5E-01



TC201 Replacement Charge-Only Device Cup for One Device

- Enables the use of TC201 devices with Legacy ShareCradles by replacing the existing TC21x / TC26x series device cup.
- Includes a pre-installed TC201 shim.

TC201 Replacement Charge-Only Device Cup for Five Devices

- A set of five Charge-Only ShareCradle Cups.
- Enables the use of TC201 devices with Legacy ShareCradles by replacing existing TC21x / TC26x series device cup.
- Includes pre-installed TC201 shims.

TC201 Replacement Ethernet Device Cup for One Device

- Enables the use of TC201 devices with Legacy ShareCradles by replacing the existing TC21x / TC26x series device cup.
- Includes a pre-installed TC201 shim.

TC201 Replacement Ethernet Device Cup for Five Devices

- A set of five Ethernet ShareCradle Cups.
- Enables the use of TC201 devices with Legacy ShareCradles by replacing the existing TC21x / TC26x series device cup.
- Includes pre-installed TC201 shims.



ideal with
mobit m|ES
software
solution

Zebra TC201 – Share Cradle Components



TC201 Holder
SKU# HLD-TCVTB-01



TC201 Holder for Devices WITH a rugged boot.

- Included in all ShareCradles designed for devices with a rugged boot.



TC201 Holder
SKU# HLD-TCVT-01



TC201 Holder for Devices WITHOUT a rugged boot.

- Included in all ShareCradles designed for devices without a rugged boot.

**Ethernet Single-Slot
ShareCradle Base**
SKU# CRD-ETHSNGLBASE-01



Ethernet Single-Slot ShareCradle Base

- Included in all single-slot Ethernet ShareCradle Configurations.

**Standard-Charging
ShareCradle Base**
SKU# CRD-SCBASE-01



Standard-Charging ShareCradle Base

- Included in all multi-slot ShareCradles configurations except for the Ethernet models.

Ethernet ShareCradle Base
SKU# CRD-ETHBASE-01



Ethernet ShareCradle Base

- Included in the multi-slot Ethernet ShareCradle configurations.

Mounting Bracket
SKU# BRKT-SCRD-SMRK-01



Use five-slot ShareCradle mounting bracket to attach five-slot TC201 cradles to the wall or mount on a 19-inch server rack.

- Offers cable routing slots and removable tray that stores / conceals power supply.
- Adjustable orientations:
25° angle for high-density (multi-slot chargers).
Horizontal (single-slot or four-slot spare Li-ion charger).
- Four 4-slot spare battery chargers can be mounted as shown with mounting bracket.
- Compatible with all multi-slot ShareCradles for TC201.
- Use to mount to wall or with standard 19-inch server rack for more density and save space.

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**, CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch

Zebra TC201 – Batteries and Battery Charger

Standard Capacity Battery

SKU# BTRY-TC2L-2XMAXX-01



3,800 mAh Standard Capacity Battery with PowerPrecision

- Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards.
- Obtain advanced battery state of health information including charge level and battery age based on usage patterns.

Spare Battery Charger

SKU# SAC-TCVT-4B



Spare Battery Charger to Charge any Four TC201 Li-ion batteries.

- Can be used standalone or up to 4 chargers can be mounted on Mounting Bracket SKU# BRKT-SCRD-SMRK-01.
- Sold separately: USB-C Cable SKU# CBL-EC5X-USB3A-01, and Country-Specific Power Adapter SKU# PWR-WUA5V45W1XX (Replace 'XX' in SKU to get the right plug style based on region)

Extended Capacity Battery

SKU# BTRY-TC2L-3XMAXX-01



5,200 mAh Extended Capacity Battery with PowerPrecision

- Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards.
- Obtain advanced battery state of health information including charge level and battery age based on usage patterns.



Zebra TC201 – Miscellaneous

Rugged Boot

SKU# **SG-TCVT-BOOT-01**



TC201 Rugged Boot

- Boot increases drop specification of device to 6 feet to concrete.
- Compatible with devices using Standard or Extended Capacity battery.
- Compatible with Hand Strap.

* Please note this accessory is a consumable and may require replacement during the device's lifespan.

Hand Strap

SKU# **SG-TC2L-HSTRP1-01**



TC201 Hand Strap

- Allows device to be easily held in palm of hand.
- Attaches directly to device, even with rugged boot installed.
- Includes loop for holding optional stylus.
- Sold separately: Rugged boot SKU# [SG-TCVT-BOOT-01](#).

* Please note this accessory is a consumable and may require replacement during the device's lifespan.

Screen Protector

SKU# **SG-TCVT-SCRNP1-01**



TC201 Screen Protector

- Screen protector - Tempered glass.
- Includes alcohol wipes, cleaning cloth, and instructions needed for screen protector installation.
- Also available as a 3-pack — 3 screen protectors — SKU# [SG-TCVT-SCRNP-03](#).

* Please note this accessory is a consumable and may require replacement during the device's lifespan.

Soft Holster

SKU# **SG-TC2L-HLSTR1-01**



TC201 Soft Holster

- Vertical orientation with open bucket design to accommodate TC201 with optional pistol-grip trigger handle, and / or hand strap.
- Compatible with rugged boot SKU# [SG-TCVT-BOOT-01](#), hand strap SKU# [SG-TC2L-HSTRP1-01](#), and all batteries.
- Nonrotating for maximum durability.
- Holster is leather material and includes cut-out for speaker output.

* Please note this accessory is a consumable and may require replacement during the device's lifespan.

Stylus

SKU# **SG-STYLUS-TCX-MTL-03**



TC201 Stylus

- Heavy-duty and made from stainless steel / brass. No plastic parts — real-pen feel. Can be used in rain.
- Micro-knit, hybrid-mesh, fiber tip provides silent, smooth gliding use. 5" length.
- Big improvement over rubber-tipped or plastic-tipped stylus.
- Compatible with all capacitive touch screen devices.
- Tether to device or hand strap using SKU# [SG-TC5NGTC7NG-TETHR-03](#).

* Please note this accessory is a consumable and may require replacement during the device's lifespan.

Tether

SKU# **SG-TC5NGTC7NG-TETHR-03**



TC201 Stylus Tether

- When hand strap is used, tether should attach to hand strap SKU# [SG-TC2L-HDSTP1-01](#) directly (not to terminal towel bar).
- String type tether prevents loss of stylus.
- NOTE: Other Zebra coiled tethers are not recommended for use with TC201 as they may interfere with other accessories.

* Please note this accessory is a consumable and may require replacement during the device's lifespan.

TC201 – Trigger Handle & Wearable Mounts



Electronic Trigger Handle

SKU# TRG-TC2L-SNP1 -01



TC201 Electronic Trigger Handle WITH Rugged Boot

- Uses electrical trigger via contacts on back side of TC201.
- Trigger handle accessory offers customers the option of using the product in a gun form factor, ideal for scan-intensive situations.
- Requires rugged boot SKU# SG-TCVT-BOOT-01 and device for attachment.
- Compatible with both standard and extended capacity batteries.
- Sold separately: Optional wrist strap SKU# SG-PD40-WLD1-01.

Wrist Strap

SKU# 50-1 2500-066



Wrist Strap

- Attaches to bottom of Snap-on Trigger Handle SKU# TRG-TC2L-SNP1-01
- Please note this accessory is a consumable and may require replacement during the device's lifespan.



Arm / Wrist Mount

SKU# SG-TC2L-ARMNT-01



TC201 Arm / Wrist Mount with medium size length strap

- Enables the TC201 to be mounted to the arm for hands free operation and can be used with the RS5100 / RS6100 (or similar) ring scanner.
- Compatible with Standard or Extended Capacity battery.
- Not compatible with Rugged Boot.
- Includes: Medium length (30cm or 12 inches) Velcro wrist strap SKU# SG-TC2L-ARMSTRAP-01 and carrier comfort pad SKU# SG-TC2L-CMPD-01
- Please note this accessory is a consumable and may require replacement during the device's lifespan.



Arm / Wrist Mount

SKU# SG-TC2L-ARMNT-02



TC201 Arm / Wrist Mount with large size length strap

- Enables the TC201 to be mounted to the arm for hands free operation and can be used with the RS5100 / RS6100 (or similar) ring scanner.
- Compatible with Standard or Extended Capacity battery.
- Not compatible with Rugged Boot.
- Includes: Large sized (33cm or 13 inches) Velcro wrist strap SKU# SG-TC2L-ARMSTRAP-02 and carrier comfort pad SKU# SG-TC2L-CMPD-01
- Please note this accessory is a consumable and may require replacement during the device's lifespan.



Arm / Wrist Mount

SKU# SG-TC2L-WMADP1 -02



TC201 Arm / Wrist Mount with Single BOA

- Wrist mount with extended BOA dial-to-fit wrist strap.
- Swivel design allows device to be viewed in portrait or landscape mode enabling hands- free functionality.
- Velcro-free design uses non-absorbent materials that can be wiped down.
- Strap length can be adjusted between 164 to 265mm (approx. 6.5 to 10.5")
- Not compatible with Rugged Boot.
- Includes: Carrier, Comfort Pad SKU# SG-TC2L-CMPD-01 and medium / large sized wrist strap SKU# SG-NGWT-WSTPLN-01
- Please note this accessory is a consumable and may require replacement during the device's lifespan.

Zebra TC201 – Wearable Mounts

Replacement Wrist Strap, Small

SKU# SG-NGWT-WSTPST-01



Replacement Wrist Strap With Single Dial, Small

- White dial and accent color on strap identify size as standard (small / medium).
- Strap length can be adjusted between 128 to 191mm (approx. 5.0 to 7.5").
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Replacement Wrist Strap, Large

SKU# SG-NGWT-WSTPLN-01



Replacement Wrist Strap With Single Dial, Large

- Black dial and accent color on strap identify size as extended (medium / large).
- Strap length can be adjusted between 164 to 265mm (approx. 6.5 to 10.5").
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Replacement Wrist Strap, Extra-Large

SKU# SG-NGWT-WSTPXL-01



Replacement Wrist Strap With Single Dial, Extra-Large

- Blue dial and accent color on strap identify size as extra-large.
- Strap length can be adjusted between 218 to 375 mm (approx. 8.5 to 14.75").
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Replacement Wrist Strap, Small

SKU# SG-TC2L-ARMSTRAP-01



Replacement Wrist Strap with Medium Velcro Strap

- Replaces the Velcro strap included for SKU# SG-TC2L-ARMNT-01
- Comes in size large with strap length of 300mm or 12"
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Replacement Wrist Strap, Large

SKU# SG-TC2L-ARMSTRAP-02



Replacement Wrist Strap With Single Dial, Large

- Replaces the Velcro strap included for SKU# SG-TC2L-ARMNT-02
- Comes in size large with strap length of 330mm or 13"
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Replacement Comfort Pad

SKU# SG-TC2L-CMPD-01



Replacement Comfort Pad

- Replaces the Comfort Pad included on either SKU# SG-TC2L-ARMNT-01 or SKU# SG-TC2L-ARMNT-02 or SKU# SG-TC2L-WMADP1-02.
- Soft Rubber material.
- Easily removable and hygienic.
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Arm Sleeve

SKU# SG-WT4027050-01 R



Arm Sleeve – Pack of Five

- Worn under wrist mount strap if worker is in short-sleeved shirt and wants extra sweat wicking / personal layer, comfort and slip-resistance
- Material will not snag. One size fits all.
- Washable in mild detergent. Should be air dried.
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Zebra TC201 Mobile Computers

Accessories Guide

Contact **mobit** for more info:

- DE/EN/IT: **+41 (0)44 800 16 30**, CH-8306 Brüttisellen
- FR: **+41 (0)21 651 98 98**, CH-1020 Renens
- E-mail: info@mobit.ch
- Contact form on www.mobit.ch

